

Certificate of Compliance

Certificate Number:

R14138

Report Reference:

2006-01-09-R14138

Issue Date:

2024-05-20

Issued to:

Roxul Inc.

Esquesing Line

Milton, ON L9T 6W3 Canada

This certificate confirms that representative samples of:

Forming Materials. Curtain-wall Insulation.

ROXUL Safe. Curtainrock 40 and Curtainrock 80

Has been evaluated by UL LLC in accordance with Standard(s) for Safety:

ASTM E2307, Standard Test Method for Determining Fire Resistance of Perimeter Fire Barriers Using Intermediate-Scale, Multi-story Test Apparatus

UL 1479, Fire Tests of Penetration Firestops, Edition 4

UL 2079, Tests for Fire Resistance of Building Joint Systems, Edition 5

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.



David Piecuch

UL Mark Certification Program Owner



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number: R14138- 2006-01-09

Report Reference: R14138

Issue Date: 2024-05-20

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

CCN: XHKU

SAFE mineral wool for use in Perimeter Fire Containment System Nos. [CW-D-1020](#), [CW-D-1021](#), [CW-D-1022](#), [CW-D-1033](#), [CW-D-1034](#), [CW-D-1035](#), [CW-D-1036](#), [CW-D-1038](#), [CW-D-1040](#), [CW-D-1046](#), [CW-D-2004](#), [CW-D-2007](#), [CW-D-2014](#), [CW-D-2015](#), [CW-D-2016](#), [CW-D-2017](#), [CW-D-2018](#), [CW-D-2019](#), [CW-D-2025](#), [CW-D-2026](#), [CW-D-2027](#), [CW-D-2031](#), [CW-D-2032](#), [CW-D-2033](#), [CW-D-2034](#), [CW-D-2035](#), [CW-D-2058](#), [CW-D-2060](#), [CW-D-2067](#), [CW-D-2068](#), [CW-D-2069](#), [CW-D-2072](#), [CW-D-2073](#), [CW-D-2074](#), [CW-D-2075](#), [CW-D-2076](#), [CW-D-2078](#), [CW-D-2079](#), [CW-D-2083](#), [CW-D-2084](#), [CW-D-2085](#), [CW-D-2086](#), [CW-D-2087](#), [CW-D-2088](#), [CW-S-0002](#), [CW-S-0003](#), [CW-S-1004](#), [CW-S-1005](#), [CW-S-1008](#), [CW-S-1009](#), [CW-S-1011](#), [CW-S-1012](#), [CW-S-1013](#), [CW-S-1014](#), [CW-S-1021](#), [CW-S-1022](#), [CW-S-2004](#), [CW-S-2005](#), [CW-S-2007](#), [CW-S-2009](#), [CW-S-2010](#), [CW-S-2011](#), [CW-S-2012](#), [CW-S-2013](#), [CW-S-2015](#), [CW-S-2016](#), [CW-S-2017](#), [CW-S-2018](#), [CW-S-2019](#), [CW-S-2020](#), [CW-S-2024](#), [CW-S-2026](#), [CW-S-2027](#), [CW-S-2028](#), [CW-S-2029](#), [CW-S-2030](#), [CW-S-2031](#), [CW-S-2032](#), [CW-S-2037](#), [CW-S-2038](#), [CW-S-2053](#), [CW-S-2054](#), [CW-S-2055](#), [CW-S-2056](#), [CW-S-2057](#), [CW-S-2067](#), [CW-S-2071](#), [CW-S-2073](#), [CW-S-2074](#), [CW-S-2075](#), [CW-S-2076](#), [CW-S-2077](#).

SAFE mineral wool for use in Joint System Nos. [BW-S-0029](#), [BW-S-0055](#), [BW-S-0067](#), [FF-D-0002](#), [FF-D-0011](#), [FF-D-0013](#), [FF-D-0014](#), [FF-D-0015](#), [FF-D-0016](#), [FF-D-0019](#), [FF-D-0022](#), [FF-D-0023](#), [FF-D-0028](#), [FF-D-0055](#), [FF-D-0133](#), [FF-D-0137](#), [FF-D-0145](#), [FF-D-0155](#), [FF-D-1001](#), [FF-D-1002](#), [FF-D-1003](#), [FF-D-1004](#), [FF-D-1006](#), [FF-D-1007](#), [FF-D-1008](#), [FF-D-1010](#), [FF-D-1015](#), [FF-D-1016](#), [FF-D-1020](#), [FF-D-1021](#), [FF-D-1024](#), [FF-D-1025](#), [FF-D-1027](#), [FF-D-1036](#), [FF-D-1041](#), [FF-D-1042](#), [FF-D-1045](#), [FF-D-1051](#), [FF-D-1059](#), [FF-D-1158](#), [FF-D-1186](#), [FF-D-1200](#), [FF-D-1212](#), [FF-D-1216](#), [FF-S-1031](#), [FF-S-1033](#), [FF-S-1050](#), [FW-D-0001](#), [FW-D-0004](#), [FW-D-0007](#), [FW-D-0009](#), [FW-D-0010](#), [FW-D-0014](#), [FW-D-0017](#), [FW-D-0018](#), [FW-D-0023](#), [FW-D-0024](#), [FW-D-0026](#), [FW-D-0042](#), [FW-D-0077](#), [FW-D-0088](#), [FW-D-0095](#), [FW-D-0101](#), [FW-D-1001](#), [FW-D-1002](#), [FW-D-1003](#), [FW-D-1005](#), [FW-D-1006](#), [FW-D-1007](#), [FW-D-1009](#), [FW-D-1010](#), [FW-D-1015](#), [FW-D-1017](#), [FW-D-1020](#), [FW-D-1024](#), [FW-D-1033](#), [FW-D-1035](#), [FW-D-1040](#), [FW-D-1044](#), [FW-D-1045](#), [FW-D-1051](#), [FW-D-1053](#), [FW-D-1054](#), [FW-D-1059](#), [FW-D-1070](#), [FW-D-1089](#), [FW-D-1102](#), [FW-D-1121](#), [FW-D-1130](#), [FW-D-1131](#), [FW-D-1134](#), [FW-D-1141](#), [FW-S-1016](#), [FW-S-1019](#), [FW-S-1027](#), [HW-D-0006](#), [HW-D-0016](#), [HW-D-0017](#), [HW-D-0020](#), [HW-D-0021](#), [HW-D-0022](#), [HW-D-0023](#), [HW-D-0029](#), [HW-D-0030](#), [HW-D-0031](#), [HW-D-0034](#), [HW-D-0038](#), [HW-D-0039](#), [HW-D-0040](#), [HW-D-0042](#), [HW-D-0043](#), [HW-D-0044](#), [HW-D-0045](#), [HW-D-0046](#), [HW-D-0049](#), [HW-D-0054](#), [HW-D-0055](#), [HW-D-0058](#), [HW-D-0059](#), [HW-D-0073](#), [HW-D-0075](#), [HW-D-](#)

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number: R14138- 2006-01-09

Report Reference: R14138

Issue Date: 2024-05-20

0079, HW-D-0086, HW-D-0087, HW-D-0088, HW-D-0089, HW-D-0091, HW-D-0099, HW-D-0101, HW-D-0102, HW-D-0103, HW-D-0104, HW-D-0105, HW-D-0106, HW-D-0107, HW-D-0108, HW-D-0109, HW-D-0110, HW-D-0127, HW-D-0128, HW-D-0136, HW-D-0137, HW-D-0139, HW-D-0140, HW-D-0146, HW-D-0149, HW-D-0152, HW-D-0153, HW-D-0154, HW-D-0156, HW-D-0157, HW-D-0160, HW-D-0166, HW-D-0170, HW-D-0171, HW-D-0172, HW-D-0173, HW-D-0174, HW-D-0177, HW-D-0187, HW-D-0188, HW-D-0190, HW-D-0192, HW-D-0199, HW-D-0200, HW-D-0204, HW-D-0205, HW-D-0206, HW-D-0218, HW-D-0220, HW-D-0221, HW-D-0222, HW-D-0248, HW-D-0252, HW-D-0253, HW-D-0259, HW-D-0263, HW-D-0265, HW-D-0267, HW-D-0278, HW-D-0279, HW-D-0284, HW-D-0292, HW-D-0295, HW-D-0297, HW-D-0298, HW-D-0299, HW-D-0300, HW-D-0327, HW-D-0328, HW-D-0331, HW-D-0358, HW-D-0359, HW-D-0363, HW-D-0365, HW-D-0366, HW-D-0376, HW-D-0377, HW-D-0378, HW-D-0379, HW-D-0380, HW-D-0381, HW-D-0382, HW-D-0384, HW-D-0385, HW-D-0388, HW-D-0389, HW-D-0390, HW-D-0391, HW-D-0395, HW-D-0396, HW-D-0404, HW-D-0405, HW-D-0406, HW-D-0407, HW-D-0408, HW-D-0409, HW-D-0410, HW-D-0411, HW-D-0412, HW-D-0413, HW-D-0414, HW-D-0415, HW-D-0416, HW-D-0417, HW-D-0441, HW-D-0442, HW-D-0447, HW-D-0456, HW-D-0457, HW-D-0458, HW-D-0459, HW-D-0460, HW-D-0465, HW-D-0478, HW-D-0479, HW-D-0518, HW-D-0524, HW-D-0536, HW-D-0538, HW-D-0539, HW-D-0540, HW-D-0541, HW-D-0542, HW-D-0546, HW-D-0547, HW-D-0548, HW-D-0549, HW-D-0553, HW-D-0560, HW-D-0561, HW-D-0562, HW-D-0564, HW-D-0566, HW-D-0567, HW-D-0568, HW-D-0569, HW-D-0570, HW-D-0571, HW-D-0572, HW-D-0573, HW-D-0575, HW-D-0577, HW-D-0578, HW-D-0580, HW-D-0582, HW-D-0583, HW-D-0584, HW-D-0604, HW-D-0612, HW-D-0614, HW-D-0617, HW-D-0619, HW-D-0623, HW-D-0631, HW-D-0633, HW-D-0634, HW-D-0635, HW-D-0636, HW-D-0637, HW-D-0639, HW-D-0640, HW-D-0642, HW-D-0643, HW-D-0644, HW-D-0645, HW-D-0649, HW-D-0650, HW-D-0653, HW-D-0687, HW-D-0689, HW-D-0695, HW-D-0696, HW-D-0697, HW-D-0698, HW-D-0702, HW-D-0703, HW-D-0705, HW-D-0740, HW-D-0741, HW-D-0746, HW-D-0747, HW-D-0748, HW-D-0750, HW-D-0755, HW-D-0778, HW-D-0781, HW-D-0782, HW-D-0793, HW-D-0794, HW-D-0803, HW-D-0804, HW-D-0807, HW-D-0808, HW-D-0809, HW-D-0810, HW-D-0811, HW-D-0816, HW-D-0818, HW-D-0822, HW-D-0825, HW-D-0827, HW-D-0829, HW-D-0846, HW-D-0861, HW-D-0863, HW-D-0864, HW-D-0881, HW-D-0882, HW-D-0883, HW-D-0885, HW-D-0894, HW-D-0895, HW-D-0896, HW-D-0899, HW-D-0900, HW-D-0903, HW-D-0904, HW-D-0906, HW-D-0929, HW-D-0930, HW-D-0936, HW-D-0937, HW-D-0938, HW-D-0939, HW-D-0941, HW-D-0944, HW-D-0959, HW-D-0961, HW-D-0962, HW-D-0967, HW-D-1001, HW-D-1002, HW-D-1003, HW-D-1004, HW-D-1005, HW-D-1006, HW-D-1007, HW-D-1010, HW-D-1015, HW-D-1018, HW-D-1021, HW-D-1022, HW-D-1023, HW-D-1024, HW-D-1032, HW-D-1034, HW-D-1040, HW-D-1059, HW-D-1060, HW-D-1066, HW-D-1067, HW-D-1068, HW-D-1073, HW-D-1074, HW-D-1075, HW-D-1076, HW-D-1077, HW-D-1079, HW-D-1080, HW-D-1089, HW-D-1094, HW-D-1097, HW-D-1102, HW-D-1110, HW-D-1122, HW-D-1123, HW-D-1126, HW-D-1128, HW-D-1135, HW-D-1136, HW-D-1137, HW-D-1138, HW-D-1140, HW-D-

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number: R14138- 2006-01-09

Report Reference: R14138

Issue Date: 2024-05-20

[1146](#), [HW-D-1150](#), [HW-D-1159](#), [HW-D-1162](#) [HW-S-0080](#), [HW-S-0083](#), [HW-S-1015](#), [HW-S-1022](#), [WW-D-0013](#), [WW-D-0018](#), [WW-D-0019](#), [WW-D-0020](#), [WW-D-0045](#), [WW-D-0046](#), [WW-D-0047](#), [WW-D-0063](#), [WW-D-0101](#), [WW-D-0103](#), [WW-D-0108](#), [WW-D-0176](#), [WW-D-0177](#), [WW-D-0184](#), [WW-D-0188](#), [WW-D-0189](#), [WW-D-0215](#), [WW-D-0220](#), [WW-D-0226](#), [WW-D-0238](#), [WW-D-0240](#), [WW-D-0269](#), [WW-D-0270](#), [WW-D-0272](#), [WW-D-0273](#), [WW-D-1001](#), [WW-D-1002](#), [WW-D-1003](#), [WW-D-1004](#), [WW-D-1005](#), [WW-D-1006](#), [WW-D-1007](#), [WW-D-1010](#), [WW-D-1023](#), [WW-D-1027](#), [WW-D-1028](#), [WW-D-1029](#), [WW-D-1036](#), [WW-D-1037](#), [WW-D-1042](#), [WW-D-1043](#), [WW-D-1050](#), [WW-D-1054](#), [WW-D-1089](#), [WW-D-1090](#), [WW-D-1091](#), [WW-D-1200](#), [WW-D-1202](#), [WW-D-1203](#), [WW-D-1204](#), [WW-D-1210](#), [WW-D-1219](#), [WW-D-1221](#), [WW-D-1237](#), [WW-D-1254](#) [WW-S-0088](#), [WW-S-1035](#), [WW-S-1040](#).

CCN: XHGU

Type CurtainRock 80 insulation for use in Perimeter Fire Containment System Nos. [CW-D-1034](#), [CW-D-1035](#), [CW-D-1036](#), [CW-D-1038](#), [CW-D-1040](#), [CW-D-1046](#), [CW-D-2007](#), [CW-D-2014](#), [CW-D-2015](#), [CW-D-2016](#), [CW-D-2017](#), [CW-D-2018](#), [CW-D-2019](#), [CW-D-2025](#), [CW-D-2026](#), [CW-D-2027](#), [CW-D-2031](#), [CW-D-2032](#), [CW-D-2033](#), [CW-D-2034](#), [CW-D-2035](#), [CW-D-2058](#), [CW-D-2060](#), [CW-D-2067](#), [CW-D-2068](#), [CW-D-2069](#), [CW-D-2072](#), [CW-D-2073](#), [CW-D-2074](#), [CW-D-2075](#), [CW-D-2078](#), [CW-D-2079](#), [CW-D-2083](#), [CW-D-2084](#), [CW-D-2085](#), [CW-D-2086](#), [CW-D-2087](#), [CW-D-2088](#), [CW-S-0002](#), [CW-S-1008](#), [CW-S-1009](#), [CW-S-1012](#), [CW-S-1014](#), [CW-S-1033](#), [CW-S-2004](#), [CW-S-2005](#), [CW-S-2007](#), [CW-S-2009](#), [CW-S-2010](#), [CW-S-2011](#), [CW-S-2012](#), [CW-S-2015](#), [CW-S-2016](#), [CW-S-2017](#), [CW-S-2018](#), [CW-S-2019](#), [CW-S-2020](#), [CW-S-2024](#), [CW-S-2026](#), [CW-S-2027](#), [CW-S-2028](#), [CW-S-2029](#), [CW-S-2030](#), [CW-S-2031](#), [CW-S-2032](#), [CW-S-2037](#), [CW-S-2038](#), [CW-S-2053](#), [CW-S-2054](#), [CW-S-2055](#), [CW-S-2056](#), [CW-S-2057](#), [CW-S-2067](#), [CW-S-2071](#), [CW-S-2073](#), [CW-S-2074](#), [CW-S-2075](#), [CW-S-2076](#), [CW-S-2077](#).

Type CurtainRock 40 insulation for use in Perimeter Fire Containment System Nos. [CW-D-1036](#), [CW-D-1038](#), [CW-D-2007](#), [CW-S-1012](#), [CW-S-1014](#), [CW-S-2026](#).

Type CurtainRock 40 or 80 Insulation for use in Through-Penetration Firestop System Certified for Canada No. [F-A-8056](#).