

GC 22 Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 7/29/2024 Issue date: 7/29/2024 Supersedes: 8/16/2023 Version: 25.1

SECTION 1: Identification

1.1. Identification

Product form Name Product code Mixture GC 22 BU Direct Fastening



1.2. Recommended use and restrictions on use

Recommended use

For professional use only, Propellant for direct fastening tools.

Feldkircherstraße 100

Department issuing data specification sheet

product.compliance-direct.fastening@hilti.com

1.3. Supplier

Supplier

Hilti, Inc. Legacy Tower, Suite 1000 7250 Dallas Parkway Plano, TX 75024 USA T +1 9724035800 1-800-879-8000 toll free - F +1 918 254 0522

1.4. Emergency telephone number

Emergency number

Emergency CONTACT (24-Hour-Number) GBK/Infotrac ID 101022 (USA domestic) 1 800 535 5053 or international (001) 352 323 3500

Hilti AG

Schaan, 9494

Liechtenstein

T +423 234 2111

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture		
GHS-US classification		
Flammable gases, Category 1	H220	Extremely flammable gas.
Gases under pressure : Compressed gas	H280	Contains gas under pressure; may explode if heated.
Full text of H-statements: see section 16		
2.2. GHS Label elements, including precautionary	y statements	

GHS US labelling

Hazard pictograms (GHS US)

Signal word (GHS US) Hazard statements (GHS US) Danger H220 - Extremely flammable gas. H280 - Contains gas under pressure; may explode if heated.



GC 22 Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautionary statements (GHS US)	P102 - Keep out of reach of children.
	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
	P211 - Do not spray on an open flame or other ignition source.
	P251 - Do not pierce or burn, even after use.
	P381 - Eliminate all ignition sources if safe to do so.
	P403 - Store in a well-ventilated place.
	P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
isobutane	CAS-No.: 75-28-5	55 - <65	Flam. Gas 1, H220 Press. Gas (Comp.), H280
propene	CAS-No.: 115-07-1	20 - <30	Flam. Gas 1, H220 Press. Gas (Comp.), H280
Propane	CAS-No.: 74-98-6	5 - <15	Flam. Gas 1, H220 Press. Gas (Comp.), H280

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures	
First-aid measures general	Take off immediately all contaminated clothing.
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	Gently wash with plenty of soap and water.
First-aid measures after eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion	Immediately consult a doctor/medical service.
4.2. Most important symptoms and effects	s (acute and delayed)
Potential adverse human health effects and symptoms	No additional information available. No harmful effects are to be expected if used properly. The contained ingredients can be harmful, but they are hermetically enclosed in the article and can not be released. The dismantling of the article is prohibited.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishing	media
Suitable extinguishing media	Carbon dioxide. Water spray. Dry powder. Alcohol resistant foam.
Unsuitable extinguishing media	Do not use a heavy water stream.
5.2. Specific hazards arising from the chemi	cal
Explosion hazard	Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Hazardous decomposition products in case of fire	On burning: release of (highly) toxic gases/vapours. Thermal decomposition generates : Carbon dioxide.
5.3. Special protective equipment and preca	utions for fire-fighters
Precautionary measures fire	Fight fire remotely due to the risk of explosion.
Firefighting instructions	DO NOT fight fire when fire reaches explosives. Evacuate area.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection. Self- contained breathing apparatus.
Other information	EN 12942. EN 12941.

SECTION 6: Accidental release	se measures
6.1. Personal precautions, protectiv	e equipment and emergency procedures
General measures	Evacuate area. Remove ignition sources.
6.1.1. For non-emergency personnel	
Emergency procedures	Ventilate spillage area. Evacuate area. No open flames, no sparks, and no smoking.
6.1.2. For emergency responders	
Protective equipment	Do not attempt to take action without suitable protective equipment. Breathing apparatus.
6.2. Environmental precautions	
Avoid release to the environment. Prevent	entry to sewers and public waters.
6.3. Methods and material for conta	inment and cleaning up
Methods for cleaning up	Do not flush with water.

information refer to section 13.

For further information refer to section 8: "Exposure controls/personal protection". For further

6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

7.1. Precautions for safe handling	
Additional hazards when processed	Flammable gas. Do not pierce or burn, even after use. Keep away from heat, hot surfaces sparks, open flames and other ignition sources. No smoking.
Precautions for safe handling	Do not spray on an open flame or other ignition source. Avoid contact with skin, eyes and clothing. Do not breathe vapours. Prevent the build-up of electrostatic charge.
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Proper grounding procedures to avoid static electricity should be followed.

Technical measures

07/31/2024

Other information



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Storage conditions	Keep cool. Protect from sunlight. Keep in fireproof place. Store in dry protected location to
	prevent any moisture contact.
Incompatible materials	Heat sources. Direct sunlight. Sources of ignition.
Storage temperature	5 – 25 °C
Heat and ignition sources	Keep away from heat and direct sunlight. Keep away from ignition sources.
Information on mixed storage	Do not store with DX powder cartridges.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

GC 22	
No additional information available	
isobutane (75-28-5)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Isobutane
ACGIH OEL STEL	1000 ppm
Remark (ACGIH)	TLV® Basis: CNS impair
Regulatory reference	ACGIH 2022
propene (115-07-1)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Propylene
ACGIH OEL TWA	500 ppm
Remark (ACGIH)	Asphyxia; URT irr
Regulatory reference	ACGIH 2023
Propane (74-98-6)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Propane
Remark (ACGIH)	TLV® Basis: Simple Asphyxiant
Regulatory reference	ACGIH 2023
USA - OSHA - Occupational Exposure Limits	
Local name	Propane
OSHA PEL TWA	1800 mg/m ³
	1000 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

8.2. Appropriate engineering controls

Appropriate engineering controls

Ensure good ventilation of the work station.



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.3. Individual protection measures/Personal protective equipment				
Hand protection:				
In case of repeated or pro	olonged contact wear glove	S		
Туре	Material	Permeation	Thickness (mm)	Penetration
Disposable gloves	Nitrile rubber (NBR)	3 (> 60 minutes)	0,12	
Eye protection:				
Chemical goggles or safety glasses. ISO 16321-1. EN 170				
Skin and body protection:				
When using cartridge operated tools, sufficient ear protection must be worn.				
Respiratory protection:				
No respiratory protection needed under normal use conditions				

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on pasic physical and the	anical properties
Physical state	Gas
Colour	Colourless
Odour	Sweet
Odour threshold	No data available
рН	No data available
Melting point	No data available
Freezing point	No data available
Boiling point	No data available
Flash point	-90 °C
Relative evaporation rate (butylacetate=1)	No data available
Flammability (solid, gas)	Extremely flammable gas.
Vapour pressure	8300 hPa
Relative vapour density at 20°C	No data available
Relative density	No data available
Density	0.6 g/cm³ (DIN 51757)
Solubility	insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity, kinematic	No data available
Viscosity, dynamic	No data available
Explosive limits	Lower explosion limit: 1.7 vol %
	Upper explosion limit: 11.1 vol %
Explosive properties	Product is not explosive. In use, may form flammable/explosive vapour-air mixture.
Oxidising properties	No data available



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

9.2. Other information

Heat of combustion Gas group > 30 kJ/g NFPA 30B, Aerosol Classification Level: 3 Gases under pressure : Compressed gas

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Heat. Sparks. Open flame. Direct sunlight. Overheating.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information		
11.1. Information on toxicological effe	ects	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met)	
isobutane (75-28-5)		
LC50 Inhalation - Rat [ppm]	> 18000 ppm	
propene (115-07-1)		
LC50 Inhalation - Rat	> 688 mg/m ³	
Propane (74-98-6)		
LC50 Inhalation - Rat [ppm]	> 280000 ppm (literature)	
Skin corrosion/irritation	Not classified (Based on available data, the classification criteria are not met)	
Serious eye damage/irritation	Not classified (Based on available data, the classification criteria are not met)	
Respiratory or skin sensitisation	Not classified (Based on available data, the classification criteria are not met)	
Germ cell mutagenicity	Not classified (Based on available data, the classification criteria are not met)	
Carcinogenicity	Not classified (Based on available data, the classification criteria are not met)	
propene (115-07-1)		
IARC group	3 - Not classifiable	
Reproductive toxicity	Not classified (Based on available data, the classification criteria are not met)	
STOT-single exposure	Not classified (Based on available data, the classification criteria are not met)	
STOT-repeated exposure	Not classified (Based on available data, the classification criteria are not met)	



.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aspiration hazard	Not applicable
Viscosity, kinematic	No data available
Potential adverse human health effects and	No additional information available. No harmful effects are to be expected if used properly.
symptoms	The contained ingredients can be harmful, but they are hermetically enclosed in the article and
	can not be released.
	The dismantling of the article is prohibited.

SECTION 12: Ecological information

Ecology - general	Due to the consistency along with the low water solubility of the product a bioavailability is
	unlikely.
isobutane (75-28-5)	
LC50 - Fish [1]	24.11 – 147.54 mg/l (Quantitative structure-activity relationship (QSAR))
EC50 - Crustacea [1]	7.02 – 69.43 mg/l (Quantitative structure-activity relationship (QSAR))
ErC50 algae	7.71 – 16.5 mg/l (Quantitative structure-activity relationship (QSAR))
propene (115-07-1)	
LC50 - Fish [1]	43.3 mg/l (72 h; Oncorhynchus mykiss (Rainbow trout); Quantitative structure-activity relationship (QSAR))
EC50 - Crustacea [1]	28.2 mg/l (48 h; daphnia; Quantitative structure-activity relationship (QSAR))
EC50 96h - Algae [1]	12.1 mg/l (algae; Quantitative structure-activity relationship (QSAR))

12.2. Persistence and degradability

isobutane (75-28-5)		
Persistence and degradability Readily biodegradable.		
propene (115-07-1)		
Persistence and degradability Readily biodegradable in water.		
Propane (74-98-6)		
Persistence and degradability Readily biodegradable in water.		

12.3. Bioaccumulative potential

isobutane (75-28-5)		
Partition coefficient n-octanol/water (Log Pow)	1.09 – 2.8 (20 °C)	
Bioaccumulative potential	Bioaccumulation unlikely.	
propene (115-07-1)		
Partition coefficient n-octanol/water (Log Kow)	1.77 (20 °C)	
Bioaccumulative potential	Low bioaccumulation potential (Log Kow < 4).	
Propane (74-98-6)		
Bioaccumulative potential	Low bioaccumulation potential (Log Kow < 4).	



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil		
No additional information available		
12.5. Other adverse effects		
Effect on global warming	No known effects from this product.	
Other information	Avoid release to the environment.	

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional waste regulation	Disposal must be done according to official regulations.
Waste treatment methods	Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	Container under pressure. Do not drill or burn even after use.
Additional information	Flammable vapours may accumulate in the container.

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	RID
14.1. UN number or ID number	r		
UN 3150	UN 3150	UN 3150	UN 3150
14.2. UN proper shipping nam	e		
HYDROCARBON GAS REFILLS FOR SMALL DEVICES	HYDROCARBON GAS REFILLS FOR SMALL DEVICES	Hydrocarbon gas Refills for small devices	HYDROCARBON GAS REFILLS FOR SMALL DEVICES
Transport document description			
UN 3150 HYDROCARBON GAS REFILLS FOR SMALL DEVICES, 2.1, (D)	UN 3150 HYDROCARBON GAS REFILLS FOR SMALL DEVICES, 2.1	UN 3150 Hydrocarbon gas Refills for small devices, 2.1	UN 3150 HYDROCARBON GAS REFILLS FOR SMALL DEVICES 2.1
14.3. Transport hazard class(e	es)		
2.1	2.1	2.1	2.1
14.4. Packing group		L	L
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: N
No supplementary information availa	able		

Overland transport

Classification code (ADR)



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Limited quantities (ADR)	0
Excepted quantities (ADR)	E0
Packing instructions (ADR)	P209
Mixed packing provisions (ADR)	MP9
Transport category (ADR)	2
Special provisions for carriage - Loading, unloading	CV9
and handling (ADR)	
Special provisions for carriage - Operation (ADR)	\$2
Tunnel restriction code (ADR)	D
Transport by sea	
Limited quantities (IMDG)	0
Excepted quantities (IMDG)	EO
Packing instructions (IMDG)	P003
EmS-No. (Fire)	F-D
EmS-No. (Spillage)	S-U
Stowage category (IMDG)	В
Stowage and handling (IMDG)	SW2
MFAG-No	115
Air transport	
PCA Excepted quantities (IATA)	E0
PCA Limited quantities (IATA)	Forbidden
PCA limited quantity max net quantity (IATA)	Forbidden
PCA packing instructions (IATA)	201
PCA max net quantity (IATA)	1kg
CAO packing instructions (IATA)	201
CAO max net quantity (IATA)	15kg
Special provisions (IATA)	A802
ERG code (IATA)	10L
Rail transport	
Classification code (RID)	6F
Limited quantities (RID)	0
Excepted quantities (RID)	E0
Packing instructions (RID)	P209
Mixed packing provisions (RID)	MP9
Transport category (RID)	2
Special provisions for carriage - Loading, unloading	CW9
and handling (RID)	
Colis express (express parcels) (RID)	CE2
Hazard identification number (RID)	23
14.7 Maritime transport in bulk according to	

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

propene	pene CAS-No. 115-07-1 20 - <30%		
15.2. International regulations	S		
CANADA			
isobutane (75-28-5)			
Listed on the Canadian DSL (Dom	lestic Substances List)		
propene (115-07-1)			
Listed on the Canadian DSL (Dom	iestic Substances List)		
Propane (74-98-6)			
Listed on the Canadian DSL (Dom	antia Cultatanana List)		

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations	
isobutane(75-28-5)	U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities; U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List	
propene(115-07-1)	U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities; U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous S List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsyl RTK (Right to Know) List	
Propane(74-98-6)	U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities; U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List	

SECTION 16: Other information			
according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2	2012 / Rules and Regulations		
Revision date 07/29/2024			
Data sources European Ch	nemicals Agency, http://echa.europa.eu/. manufacturer.		



Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Training advice	Department issuing data specification sheet.
Other information	NFPA 30B.

Full text of H-statements		
H220	Extremely flammable gas.	
H280	Contains gas under pressure; may explode if heated.	

Abbreviations and acronyms				
CAS-No.	Chemical Abstract Service number			
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways			
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road			
ATE	Acute Toxicity Estimate			
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008			
DNEL	Derived-No Effect Level			
EC50	Median effective concentration			
ED	Endocrine disrupting properties			
EC-No.	European Community number			
EN	European Standard			
ΙΑΤΑ	International Air Transport Association			
IMDG	International Maritime Dangerous Goods			
IOELV	Indicative Occupational Exposure Limit Value			
LC50	Median lethal concentration			
LD50	Median lethal dose			
NOEC	No-Observed Effect Concentration			
OECD	Organisation for Economic Co-operation and Development			
N.O.S.	Not Otherwise Specified			
OEL	Occupational Exposure Limit			
PBT	Persistent Bioaccumulative Toxic			
PNEC	Predicted No-Effect Concentration			
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006			
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail			
SDS	Safety Data Sheet			
STP	Sewage treatment plant			
TLM	Median Tolerance Limit			
TRGS	Technical Rules for Hazardous Substances			



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Abbreviations and acronyms				
VOC	Volatile Organic Compounds			
WGK	Water Hazard Class			
vPvB	Very Persistent and Very Bioaccumulative			
NOAEL	No-Observed Adverse Effect Level			
NOAEC	No-Observed Adverse Effect Concentration			
LOAEL	Lowest Observed Adverse Effect Level			
NFPA health ha	azard 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.			
NFPA fire haza				
NFPA reactivity				

Indication of changes:					
Section	Changed item	Change	Comments		
1	Department issuing data specification sheet:	Modified	E-mail address of competent person responsible for the SDS		
9	Physical and chemical properties	Added	NFPA 30B		
16	Other data	Added	NFPA 30B		

decomposition or explosive reaction but that require a strong initiating source or must be heated under confinement before initiation.

SDS US HILTI

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.