

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification

1.1. Identification

Product form Article

Product name Mineral wool products / FS boards / Insulated sleeve/ Cavity Barrier

Product code BU Fire Protection Article
Other means of identification Mineral wool products:

CP 777 CP 767 CFS-TTS MD P CFS-TTS MD C CFS-CO Mineral wool

FS boards:

CP 670 CP 673 CP 676 CFS-CT B CFS-CT HDB

Insulated sleeve: CP 645 Cavity Barrier:

CFS-VB E60 CFS-VB E120 CFS-NVB E120

1.2. Recommended use and restrictions on use

Use of the substance/mixture Construction products
Restrictions on use Building and construction work

1.3. Supplier

Supplier Department issuing data specification sheet

Hilti, Inc. Hilti AG

Legacy Tower, Suite 1000
7250 Dallas Parkway
US TX 75024 Plano
USA
Feldkircherstraße 100
FL 9494 Schaan
Liechtenstein
T +423 234 2111

T +1 9724035800 product.compliance-fire.protection@hilti.com

1-800-879-8000 toll free, F +1 918 254 0522

us-sales@hilti.com

1.4. Emergency telephone number

Emergency number Emergency CONTACT (24-Hour-Number)

GBK/Infotrac ID 101022 (USA domestic) 1 800 535 5053 or international (001) 352 323 3500

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Not classified

2.2. GHS Label elements, including precautionary statements

GHS US labelling

No labelling applicable

02/07/2025 US-OSHA - en Page 1



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards which do not result in classification

Other hazards which do not result in classification

A Safety Data Sheet is not required due to the classification of these products as "articles" according to Regulation (EC) No. 1907/2006 of 18 December 2006 (EU) / 29CFR 1910.1200 (U.S.A.). Consequently, these products are exempted from CLP / OSHA Labeling and SDS requirements.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Common Name (Synonyms)	Product identifier	%	GHS-US classification
Man-made vitreous (silicate) fibres with random orientation with alkaline and alkali earth oxides (Na2O+K2O+CaO+MgO+BaO) content greater than 18% by weight and fulfilling one of the Nota Q conditions		-	≥ 60	Not classified
formaldehyde%		CAS-No.: 50-00-0	< 0.1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Corr. 1B, H314 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general Never give anything by mouth to an unconscious person.

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. Allow the victim to rest. First-aid measures after skin contact Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact

Rinse cautiously with water for several minutes. Obtain medical attention if pain, blinking or

redness persists.

First-aid measures after ingestion Rinse mouth out with water. Drink plenty of water.

4.2. Most important symptoms and effects (acute and delayed)

Potential adverse human health effects and E

Based on available data, the classification criteria are not met.

symptoms

Symptoms/effects Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

02/07/2025 US-OSHA - en 2/9



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media The product itself does not burn. Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

No additional information available

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions Prevent fire fighting water from entering the environment.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment Wear recommended personal protective equipment.

Emergency procedures Evacuate unnecessary personnel.

Measures in case of dust release Wear suitable respiratory protection.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

No additional information available

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Minimise generation of dust.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Avoid contact with skin and eyes. Avoid dust formation. Do not breathe dust.

Hygiene measures

Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Keep container closed when not in use. Avoid creating or spreading dust. Store in a dry place.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Mineral wool products / FS boards / Insulated sleeve/ Cavity Barrier

No additional information available

02/07/2025 US-OSHA - en 3/9



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

formaldehyde% (50-00-0)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Formaldehyde	
ACGIH OEL TWA	0.1 ppm	
ACGIH OEL STEL	0.3 ppm	
ACGIH OEL C	0.3 ppm	
Remark (ACGIH)	URT & eye irr; SEN; A2	
Regulatory reference	ACGIH 2023	
USA - OSHA - Occupational Exposure Limits		
Local name	Formaldehyde	
OSHA PEL TWA	0.75 ppm OSHA 1910.1048(c)(1)	
OSHA PEL STEL	2 ppm OSHA 1910.1048(c)(2)	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
Man-made vitreous (silicate) fibres with random orientation with alkaline and alkali earth oxides (Na2O+K2O+CaO+MgO+BaO) content greater than 18% by weight and fulfilling one of the Nota Q conditions		
No additional information available		

8.2. Appropriate engineering controls

No additional information available

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure. Protective clothing. Gloves. Safety glasses.				
Hand protection:				
Wear protective gloves.				
Туре	e Material Permeation Thickness (mm) Penetration			
Reusable gloves				
Eye protection:				
Chemical goggles or safety glasses				
Skin and body protection:				
Wear suitable protective clothing				
Respiratory protection:				
In case of dust formation use respirator with filter: Dust production: dust mask with filter type P2				

02/07/2025 US-OSHA - en



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal protective equipment symbol(s):







Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid
Appearance Fibrous.

Colour Various colours
Odour odourless
Odour threshold No data available
pH No data available
Melting point > 1000 °C
Freezing point No data available

Freezing point

No data available
Boiling point

No data available
Flash point

No data available
Relative evaporation rate (butylacetate=1)

No data available

Flammability (solid, gas) Not flammable. Non flammable.

Vapour pressure

Relative vapour density at 20°C

Relative density

Solubility

Partition coefficient n-octanol/water (Log Pow)

Auto-ignition temperature

No data available

No data available

No data available

Auto-ignition temperature

Decomposition temperature

Viscosity, kinematic

Viscosity, dynamic

Explosive limits

Explosive properties

No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

Stable under normal conditions of use.

02/07/2025 US-OSHA - en 5/9



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)

Acute toxicity (dermal)

Acute toxicity (inhalation)

Not classified

Not classified

formaldehyde% (50-00-0)		
LD50 oral	600 mg/kg	
LD50 dermal	270 mg/kg	
LC50 Inhalation - Rat [ppm]	480 ppm	
Skin corrosion/irritation	Not classified	
Serious eye damage/irritation	Not classified	
Respiratory or skin sensitisation	Not classified	
Germ cell mutagenicity	Not classified	
Carcinogenicity	Not classified	

formaldehyde% (50-00-0)	
IARC group	1 - Carcinogenic to humans
National Toxicology Program (NTP) Status	Known Human Carcinogens

Reproductive toxicity

STOT-single exposure

STOT-repeated exposure

Aspiration hazard

Viscosity, kinematic

Not classified

Not classified

Not classified

Not classified

Not data available

Potential adverse human health effects and

symptoms

Based on available data, the classification criteria are not met.

Symptoms/effects Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

formaldehyde% (50-00-0)		
EC50 - Crustacea [1]	2 mg/l	
NOEC chronic crustacea	1 mg/l	

02/07/2025 US-OSHA - en 6/9



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability

Mineral wool products / FS boards / Insulated sleeve/ Cavity Barrier		
Persistence and degradability	Not established.	

12.3. Bioaccumulative potential

Mineral wool products / FS boards / Insulated sleeve/ Cavity Barrier	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations

Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

Not applicable Not applicable Not applicable	Not applicable Not applicable Not applicable			
Not applicable	Not applicable			
Not applicable	Not applicable			
Not applicable	Not applicable			
	Not applicable			
1				
Not applicable	Not applicable			
14.5. Environmental hazards				
Not applicable	Not applicable			

14.6. Special precautions for user

DOT

Not applicable

TDG

Not applicable

02/07/2025 US-OSHA - en 7/9



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

IMDG

Not applicable

IATA

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
formaldehyde%	50-00-0	Present	Active	
Man-made vitreous (silicate) fibres with random orientation with alkaline and alkali earth oxides (Na2O+K2O+CaO+MgO+BaO) content greater than 18% by weight and fulfilling one of the Nota Q conditions		Not present	-	

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

formaldehyde ...%

CAS-No. 50-00-0

< 0.1%

formaldehyde% (50-00-0)	
Listed on EPA Hazardous Air Pollutant (HAPS)	
CERCLA RQ	100 lb
RQ (Reportable quantity, section 304 of EPA's List of Lists)	100 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	500 lb

15.2. International regulations

Mineral wool products / FS boards / Insulated sleeve/ Cavity Barrier

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

formaldehyde ...% (50-00-0)

Listed on IARC (International Agency for Research on Cancer)

Listed as carcinogen on NTP (National Toxicology Program)

02/07/2025 US-OSHA - en 8/9



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

MARNING:

This product can expose you to Formaldehyde (gas), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date 02/06/2025

Data sources REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Other information None.

Full text of I	Full text of H-statements	
H301	Toxic if swallowed.	
H311	Toxic in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H317	May cause an allergic skin reaction.	
H331	Toxic if inhaled.	
H341	Suspected of causing genetic defects.	
H350	May cause cancer.	

NFPA health hazard 0 - Materials that, under emergency conditions, would offer no hazard

beyond that of ordinary combustible materials.


NFPA fire hazard 0 - Materials that will not burn under typical fire conditions, including intrinsically popportunities such as concrete, stone, and

intrinsically noncombustible materials such as concrete, stone, and

Sariu.

NFPA reactivity 0 - Material that in themselves are normally stable, even under fire

conditions.



Indication of changes:			
Section	Changed item	Change	Comments
			add product name: mineral wool

SDS_US_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

02/07/2025 US-OSHA - en 9/9